



FIRETEX[®] M71V2

Decorative top coat designed for internal environments.



Decorative top coat

FIRETEX[®] M71V2 has been developed as a sheen decorative top coat for FIRETEX[®] FX Range of intumescent coatings, in internal environments.

- Provides protection when used in internal semi-controlled conditions where condensation may occur.
- Maintains appearance of coating for life.



Technical information

Recommended use	Will provide protection for FIRETEX [®] range of intumescent coatings for the life of building in an internally dry controlled C1 environment and up to 20 years in an internal semi-controlled environment for C1/C2 categories (as defined in ISO 12944-2).
Endorsements	EC directive 2004/42/CE.
Volume solids	92% (ISO 3233:1988).
VOC	445g/litre.
Application	Airless spray, brush, conventional spray and roller.
WFT Max (µm)	Typical 114.
DFT Max (µm)	Typical 50.
Time to touch dry	45mins @ 15°C, 30mins @ 23°C, 15mins @ 35°C.
Time to recoat	8hrs @ 15°C, 6hrs @ 23°C, 6hrs @ 23°C.
Time to handle	Dependant on underlying intumescent coating.



FIRETEX[®] M71V2

Decorative top coat designed for internal environments.



The Sherwin-Williams Company

With over 150 years experience in the coatings industry we understand how critical it is that your investment gives you a quality, long term fire protection system, which performs in demanding environments.

The world class FIRETEX[®] range provides a smooth, hard finish that allows flexibility and creative exposure of structural steel surfaces in building design, whilst also providing essential protection of steelwork from 15-120 minutes. Whether you specify FIRETEX[®] alone or in conjunction with our exceptional primers and top coats, you can be assured that you are selecting a passive fire protection system that has been researched, developed and tested to the highest international standards.

Speak to your Sherwin-Williams representative to get an estimate on your next project using our FIRETEX[®] intumescent materials.

To learn more, contact us

Europe, Middle East & Africa: +44 (0)1204 521771

North America: +1 800 524 5979

Asia: +8 621 5158 7798

sales.uk@sherwin.com

www.sherwin-williams.com/protectiveEMEA

©2015 The Sherwin-Williams Company
Protective & Marine Coatings

10/15 EMEA0112/V03



www.sherwin-williams.com/protectiveEMEA

Protective & Marine Coatings
Europe, Middle East & Africa